HOST ADAPTERS TESTED

АРА™-348 APA[™]-358 APATM-1460 AVA[™]-1505 AHA®-1510 AVA[™]-1515 AHA®-1520/2 AHA®-1530/2P AHA®-1540/2/F/P AHA®-1640 AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2840/2VL AHA®-2920 AHA®-2940/4/W AHA®-2940AU AHA®-3940/W AHA®-3940U/UW

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Japanese, Portuguese, Spanish

PRODUCTS AVAILABLE IN

Worldwide

DOS

PERIPHERALS SUPPORTED

6.0

CD-ROM
Tape
M-O
WORM
DAT
Jukebox
Floptical
Multifunction
Disk Array
Scanner
Printer
Disk/Hard Drive
CDR

Windows®95
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•</td

• • • •

Adaptec, Inc.

ADAPTEC® EZ-SCSI®

If you have, or are planning to add, SCSI peripherals like tape or disk drives, CD-ROM drives, recordable CD-R drives, magneto-optical drives, or scanners, Adaptec EZ-SCSI® software provides everything you need to manage and take full advantage of each device.

MULTIMEDIA SOLUTIONS

Adaptec EZ-SCSI software is a suite of 32-bit practical applications and power tools that are remarkably easy to install and use. Simple desktop controls give you immediate access to any fuction. A unique online tutorial explains everything you need to know about SCSI in easy-to-understand terms.

Key benefits:

* Easiest way to manage SCSI peripherals

* For Windows operating systems

* Includes these practical applications: Adaptec Easy-CD Backup[™], QuickScan[™], Audio CD player, Photo CD Viewer, CD Writer, and CD Copier

* Includes these powerful tools: SCSI ExplorerTM (Power Management, SCSI InterrogatorTM, Read/Write Disk Cashe tool), SCSI TutorTM, SCSI BenchTM and Drive LightTM.

691 S MILPITAS BLVD • MILPITAS, CA • USA

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com URL http://www.adaptec.com

HOST ADAPTERS TESTED

APATM-348 APATM-358 AHA®-1510 AHA®-1520/2 AHA®-1640

Adaptec, Inc.

EZ-CD PRO, EZ-CD PRO MM

Easy CD ProTM and Easy CD Pro MMTM are complete software products for creating, testing and simulating both real and virtual ISO 9660 images for CD-ROM, and for creating CD audio and mixed mode compact disks. Complete compatibility with Windows 3.1®, including "drag and drop" direct from File Manager, makes creating CD's easy, even for absolute beginners.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array Sca	anner Printer	Disk/Hard Drive	CDR
UNIX	•	٠		٠							
Windows NT	•	•		•							
Windows®95	•	•		•							
Windows® 3.1+	•	٠		٠							

691 S MILPITAS BLVD • MILPITAS, CA • USA

PHONE 1-800-934-2766

408-262-2533

FAX

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com URL http://www.adaptec.com

AHA®-1520/2 AHA®-1540/2/F/P AHA®-1640

Corel Corporation

CORELSCSI

CorelSCSI® software provides easy connection of SCSI devices. CorelSCSI includes device drivers for virtually every SCSI peripheral on the market. CorelSCSI software also includes: Corel CD-Audio, Corel Tape Backup software, SCSI Tools for Windows and more. CorelSCSI is multi-platform, with operating system support for DOS, Windows, OS/2 and Novell® NetWare 386. CorelSCSI is included in Adaptec's SCSI Direction® Plus kit and SCSI Master[™] Plus kit.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-0	WORM	DAT Jukebo	x Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.11	•		•	•	•		٠				
OS/2	2.0	•		•	•			•				
Windows®	3.0+	•	•	•	•	•	•	•				
DOS	5.0	•	•	•	•	•	•	•				

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200

TOLL FREE (800) 836-7274

E-MAIL URL

FAX (613) 728-9790

AHA®-1520/2 AHA®-1540/2/F/P AHA®-1640

Corel Corporation

CORELSCSI PRO

CorelSCSI Pro® is a high-performance software product designed to maximize SCSI performance. CorelSCSI Pro provides: support for SCSI scanners to scan images into any TWAIN-compliant graphics program; a CD-ROM server application that allows network users to retrieve recently-accessed information with essentially no delay; and a utility that writes information to a compact disc using a CD-Recorder. These features and others are available using an intuitive and friendly interface.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Таре	M-O	WORM	DAT J	ukebox	Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive	CDR
Windows®	3.0+	•	٠	•	•	•		•	•	•			
OS/2	2.0	•		•	•				•				
DOS	5.0	•	•	•	•	•		•	•				
NetWare	3.11	•		•	•		•		•				

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200

TOLL FREE (800) 836-7274

E-MAIL URL

FAX (613) 728-9790

HOST ADAPTERS TESTED

AHA®-1510 AHA®-1520/2 AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2840/2VL AHA®-2940/4/W

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish, and Russian

PRODUCTS AVAILABLE IN

Canada, England, Germany, Holland, USA, Western Europe

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive	CDR
Vines	•	•	٠	•	٠	•			•			
DOS	•	•	٠	•	٠	•			•			
LANMan	•	•	٠	•	٠	•			•			
NetWare	•	•	٠	•	٠	•			•			
OS/2	•	•	٠	•	٠	•			•			
UNIX	•	•	٠	•	٠	•			•			
Windows®	٠	•	•	•	•	•			•			

9069 CAJALCO ROAD • CORONA, CA 91719 •

PHONE (909) 279-7955

(909) 279-7957

FAX

TOLL FREE (800) -DELPHI5

E-MAIL 76470.1544@compuserve.com URL

Delphi Data

RAIDER WRITABLE CD ARRAYS RAIDER WRITABLE CD ARRAYS

The RAIDer[™] series of CD-ROM arrays provide a unique hardware solution for minicomputer and network systems. Configurations include multi-SCSI ID or LUNs with a maximum of 56 drives per controller.

The RAIDer series of Writable CD disk arrays provide a unique hardware solution for the production of CDs. The system can be configured for short run duplication of CDs. Configurations can include a mix of hard drives, EO transports, tape unit and multiple CD writers. The system can perform offline from any source to multiple targets.

All systems include an integrated data cache, up to 256Mb per CacheBox, which greatly improves performance.

HOST ADAPTERS TESTED

AHA®-1520/2 AHA®-1540/2/F/P AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2940/4/W AHA®-2940/4/U/UW

HCL Hewlett Packard Ltd.

BUSY BEE AND METEOR

The HCL-Hewlett Packard Busy Bee and Meteor Systems are developed in India for use in the Indian market. They are highly scalable designs starting from home PC low-end configurations to large business UNIX and NetWare servers.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

India

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	•	٠	•		٠				•	٠	٠		
OS/2	•	•	•		٠				•	•	•		
DOS	•	•	•		٠				•	•	٠		
Windows®	•	•	•		٠				•	•	•		
UNIX	•	•	•		•				•	•	•		

E4, E5, E6 SECTOR 11 NOIDA • DIST GHAZIABAD, 201301 • INDIA

PHONE 91-11-8531353 FAX 91-11-8521113 E-MAIL

HOST ADAPTERS TESTED

AHA®-1540/2/F/P AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2940/4/W AHA®-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

MULTIMEDIA SOLUTIONS

Logicraft Information Systems

THE JUKEBOX MANAGER

The Jukebox ManagerTM option for Logicraft's LanCDTM network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

(603) 880-7229

FAX

TOLL FREE 800-880-5644

HOST ADAPTERS TESTED

AHA®-1540/2/F/P AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2940/4/W AHA®-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

MULTIMEDIA SOLUTIONS

Logicraft Information Systems

 $FASTCD^{TM}$, LANCD

FastCD[™] is an option available with Logicraft's LanCD[™] networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

(603) 880-7229

FAX

TOLL FREE 800-880-5644

AHA®-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

MULTIMEDIA SOLUTIONS

Logicraft Information Systems

CDEXECUTIVETM CD-ROM NETWORK SERVER

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The PentiumTM based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NTTM service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

(603) 880-7229

FAX

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com URL http://www.logicraft.com

HOST ADAPTERS TESTED

AHA®-1520/2 AHA®-1540/2/F/P AHA®-1640 AHA®-1740/2/4 AHA®-2740/2/4/T/W AHA®-2940/4/W AHA®-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

MULTIMEDIA SOLUTIONS

Logicraft Information Systems

LANCDTM CD-ROM NETWORK SERVERS

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium[™] based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCDTM software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

FAX

(603) 880-7229

Adaptec Compatibility Directory: A Guide to Products Compatible with Adaptec Host Adapters

E-MAIL sales@logicraft.com

http://www.logicraft.com

AHA®-1540/2/F/P AHA®-1640 AHA®-1740/2/4 AHA®-2840/2VL

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada Japan Singapore

PERIPHERALS SUPPORTED

CD-ROM
Tape
M-O
WORM
DAT
Jukebox
Floptical
Multifunction
Disk Array
Scanner
Printer
Disk/Hard Drive
CDR

Windows®
3.1
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•
•</td

MULTIMEDIA SOLUTIONS

Optical Media International

TOPIX

TOPiXTM CD publishing software provides the ideal solution for getting software, databases, multimedia applications, images, and audio onto a CD or premaster tape. TOPiX supports the creation of ISO 9660, Hybrid (ISO + HFS) or disk image (such as Macintosh HFS) formatted CDs to give you the option of preserving the native file system or taking advantage of the universal platform characteristics of the ISO format. The system is available on DOS/Windows, Macintosh, and UNIX workstations.

180 KNOWLES DRIVE • LOS GATOS, CA 95030 • USA

PHONE (408) 376-3511 FAX (408) 376-3519 TOLL FREE (800) 347-2664

E-MAIL URL

(408) 376-3519

HOST ADAPTERS TESTED

AHA®-1540/2/F/P AHA®-2840/2VL AHA®-3940/W

Optisys

GLOBALNET

GlobalNet[™] storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape M-O	WORM	DAT Jukebox	Floptical M	Multifunction	Disk Array Scanner	Printer Disk/Hard Drive CDR
Windows®	•	•	•	•			•	•
DOS	•	•	•	•			•	•
NetWare	•	•	•	•			•	•

9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •

PHONE (602) 997-9699

TOLL FREE (800) 327-1271

300) 327-1271

E-MAIL URL

FAX (602) 944-4051

HOST ADAPTERS TESTED

AHA®-1510 AVA[™]-1515 AHA®-1520/2 AHA®-1540/2/F/P AHA®-2740/2/4/T/W AHA®-2840/2VL AHA®-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows® 3.1, 3.1

MULTIMEDIA SOLUTIONS

Pinnacle Systems, Inc.

ALLADIN

AlladinTM is an open architecture, multifunctional video tool. This dependable PC peripheral processes high quality, full resolution video in real time. For making video transitions, Alladin includes a seven input switcher and true 3D DVE with curvilinear effects. Add graphics and titles to your video with titling, character generation, still store, paint, 3D modeling and animation - all with built-in Alpha channel. Alladin's layering capabilities include full linear input key, as well as luminance and chrominance keying. Altogether, Alladin can process four video layers in a single pass. And, since you can customize all Alladin effects, your video productions will never have that "precanned" look.

870 WEST MAUDE AVENUE • SUNNYVALE, CA 94086 •

PHONE (408) 720-9669 FAX (408) 720-9674 E-MAIL

AHA®-2940/4/U/UW AHA®-3940/W AHA®-3940U/UW

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

MULTIMEDIA SOLUTIONS

Pioneer Hi-Fi (GB) Ltd.

PIONEER

Pioneer, the leading manufacturer of optical disc technology has developed a solution utilizing it's high storage CD-ROM autochanger. This solution provides stored video clips directly to designated PC's. The Video Browse Server enables users to view the whole of a video library on a PC. This application has a user friendly and logical GUI. The video clips never physically leave the library, hence no time lost tracing material. All of the video is held on CD-ROMs locked away in a 500 disk autochanger. Initially by the use of alphanumeric entries a search can be narrowed down to several titles. A selected title gives further indexed information on the clip and also more importantly at least two thumbnails. The chosen clip can then be viewed on a PC terminal. By selecting various clips the user automatically generates a clip list. This file can then be sent to the compiling station on the network. The compiling station then assembles the request on any chosen broadcast medium- D1, D2, D3, D5, Digital Betacam, Betacam, Disc etc.

1 LAMBOLLE PLACE • LONDON, NW34PD • ENGLAND

PHONE	144-1717940888
FAX	144-01753-789539

E-MAIL

HOST ADAPTERS TESTED

AHA®-1510 AHA®-1520/2 AHA®-1540/2/F/P AHA®-1640 AHA®-1740/2/4

Plasmon Data Ltd.

DOS MANAGER!

DOS Manager! provides single or multi jukebox support for WORM, rewritable, or multifunction units. File compatibility is offered with Corel as well as ECMA. Full utilities are built in for jukebox and media management as well as worm audit features.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT Jukebox	Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive	CDR
NetWare			٠	٠	٠		•				
DOS			•	•	•		•				
OS/2			•	•	•		•				
UNIX			•	•	•		•				
Windows®			•	•	•		•				

WHITING WAY • MELBOURN, HERTS SG8 6DN • ENGLAND

PHONE	44 0 1763 262963
FAX	44 0 1763 264444

E-MAIL

HOST ADAPTERS TESTED

AHA®-1510 AHA®-1520/2 AHA®-1540/2/F/P AHA®-1640 AHA®-1740/2/4

Plasmon Data Ltd.

MULTITASKING MANAGER! FOR OS/2

Multitasking Manager! for OS/2 provides single or multi jukebox support for worm, rewritable, or multifunction units. File compatibility is offered with Corel as well as ECMA. Full utilities are built in for jukebox and media management as well as worm audit features.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT Jukebox	Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive CDI
DOS			•	•	•		•			
Windows®			•	•	•		•			
UNIX			•	•	•		•			
NetWare			•	•	•		•			
OS/2			•	•	•		•			

WHITING WAY • MELBOURN, HERTS SG8 6DN • ENGLAND

PHONE	44 0 1763 262963
FAX	44 0 1763 264444

E-MAIL

HOST ADAPTERS TESTED

AVATM-1505 AHA®-1510 AVATM-1515 AHA®-1520/2 AHA®-1540/2/F/P AHA®-2840/2VL

Steinberg Soft and Hardware GmbH

CUBASE

Cubase is a professional music production tool integrating MIDI recording, notation editing and printout, and digital recording all under one unified easy to use interface.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Japanese, Swedish

PRODUCTS AVAILABLE IN

Europe Japan USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

•

Windows®

EIFFE STR. 596 • HAMBURG, 20537 • GERMANY

PHONE(040) 211-594FAX49 40 211-598

E-MAIL

HOST ADAPTERS TESTED

APA™-348 AHA®-1510 AHA®-1520/2 AHA®-1530/2P AHA®-1540/2/F/P

LANGUAGE(S) SUPPORTED

Chinese, English, French, German, Italian, Japanese, Norwegian, Portuguese, Swedish, Spanish

PRODUCTS AVAILABLE IN

Asia Canada Europe USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array Scanner	Printer	Disk/Hard Drive	CDR
Windows®	٠	٠										
DOS	•	٠		•			•	•	•			

Vision Database Systems

RAPIDCARD PHOTO IDENTIFICATION SYSTEM

RAPIDCARD software can capture color photos, store them in a dBase / Foxpro compatible database, in uncompressed or JPEG compressed format, and print excellent photo quality ID cards directly to a plastic medium such as credit card. Individual drivers or utilities can be purchased as well as complete turnkey systems for universities, corporations and government entities. Requires low man-power but high throughput. PhotoID creation under one badge per minute. Multiple printers and multiple workstations can be networked using Novell or a similar network.

MULTIMEDIA SOLUTIONS

853 DONALD ROSS ROAD • JUNO BEACH, FL 33408 • USA

PHONE (407) 694-2211 FAX (407) 694-2220 E-MAIL 73302.3133@compuserve.com URL